



How to Order - Hydraulok Hose Fittings

How to Order: Example: HL4FJ4			
HL	1/4	FJ	1/4
Hydraulok	Hose I.D. (Chart #1)	Body Style (Chart #2)	2nd End (Chart #3)

Chart #1 Hose I.D.
1/4
5/16
3/8
1/2
5/8
3/4
1
1-1/4
1-1/2
2

Chart #2 Body Style	
FC	Female Connector
FJ	Female JIC
FL	Code 61 Flange
GC	O-Ring Boss
GJ	Male Ultra-Flare



J	Male AN/JIC
MC	Male NPT
TA	Tube Adapter
BHC	Metal Male Thread
BHJS	Metal SAE 37° Flare
BHFC	Metal Female Thread

Chart #3 2nd End	
4	1/4
5	5/16
6	3/8
8	1/2
10	5/8
12	3/4
14	7/8
16	1
20	1-1/4
24	1-1/2
32	2

Hydraulok

Thermoplastic

Teflon



How to Order: Example: AH5612066

A	H561	20	6	6
Assembly	Family Designation (Chart #1)	Configuration (Chart #2)	Thread Size (Chart #3)	Hose Dash Size (Chart #4)

Chart #1 Family Designation

H561	SAE 100R7/R8
H940	SAE 100 R14
H980	MIL-H-27267

Chart #2 End Configurations

20	Male NPT
50	SAE 37° Swivel

Chart #3 Thread Size

4	1/4
6	3/8
8	1/2
10	5/8
12	3/4
16	1



Chart #4 Hose Dash Size

4	1/4
6	3/8
8	1/2
10	5/8
12	3/4
16	1