



How to Order - Threaded Pipe Fittings & Adapters

How to Order: Example: 6x3/8GCM-V			
6x	3/8	GCM	V
Fitting Size 1st End (Chart #1)	Fitting Size 2nd End (Chart #1)	Body Type (Chart #2)	Special Modifiers (Chart #3)

Chart #1 Fitting Size			
Fitting Size	BSPB Thread Size	Pipe Thread	Straight Thread SAE UN/UNF-2A
2	-	1/8 - 27	5/16 - 24
3	-	-	3/8 - 24
4	1/4 x 19	1/4 - 18	7/16 - 20
5	-	-	1/2 - 20
6	3/8 x 19	3/8 - 18	9/16 - 18
8	1/2 x 14	1/2 - 14	3/4 - 16
10	5/8 x 14	-	7/8 - 14
12	3/4 x 14	3/4 - 14	1-1/16 - 12
14	-	-	1-3/16 - 12
16	1 x 11	1 - 11 1/2	1-5/16 - 12
20	1-1/4 x 11	1-1/4 - 11-1/2	1-5/8 - 12
24	-	1-1/2 - 11-1/4	1-7/8 - 12
32	-	2 - 11-1/2	2-1/2 - 12

Chart #2 Body Type

A-AC	Bulkhead Coupling
CGP	Straight Thread Hex Countersunk Plug
CP	Hex Countersunk Plug
FF	Female Elbow
FFF	Female Tee
FFFF	Female Cross
FMF	Male Run Tee
FPM	Female SAE x Male Pipe Adapter
GCF	Male SAE x Female Pipe Adapter
GCFP	SAE Male to SAE Female Adapter
GCM	Male SAE x Male Pipe Adapter
GCU	Straight Thread Union
GEF	Male SAE to Female Pipe Elbow
GP	Straight Thread Plug
HC	Hex Coupling
HN	Hex Nipple
HP	Hex Head Plug
MF	Street Elbow
MF-45	45° Street Elbow
MFM	Female Run Tee
MM	Male Elbow



MMF	Female Branch Tee
MMM	Male Tee
PTR	Reducing Bushing
RA	Reducing Adapter Female Pipe x Male Pipe

Chart #3 Special Modifiers

Chart #3 Special Modifiers	
ESPP	British Standard Pipe Parallel
ESPT	British Standard Pipe Tapered
M	Monel®
V	Viton® O-Ring